

Performance you can rely on.

# Floorcare Machines



**TASKI**<sup>®</sup>

Diversey



# Contents

	Page
Introduction	4
Service & Support	5
Dry Vacuum Cleaners – Tub vacuums	6
Dry Vacuum Cleaners – Upright vacuums	9
Wet & Dry Vacuums	11
Carpet Cleaning	13
Single Disc Machines	16
Scrubber Driers	19

# Introduction

**TASKI® by Diversey offers integrated cleaning and hygiene solutions for floor care that provide you with a multidimensional package of products, tools, training, and service.**

Our unique, leading-edge machines use eco-friendly cleaning solutions. Delivering cost-effective and superior results every time, they feature exceptional maneuverability to reach every place you need to clean.

From vacuum cleaners, single disc machines to auto scrubbers, TASKI by Diversey provides an unparalleled level of performance across a range of applications.

Our quality machines have been developed to be ergonomic and easy to use by the operator; clear service points on the machines make them easy to maintain and reduce any downtime.

Diversey also provides a bespoke solutions program including machine service and warranty options.



# TASKI Service & Support



## Service and warranty

- Bespoke service contracts are available in all countries. For more information contact your local Diversey office
- Minimum one year warranty is available on all machines
- Single disc machines and Scrubber driers have a two year warranty on parts and labour

## Existing contracts/sites

- Advice on equipment – for best productivity, performance and cost in use
- Demonstration of equipment to confirm benefits to you
- Training to ensure safe, effective and productive use – certificated if requested
- Assistance with problem solving – backed up by Technical and laboratory teams

## New contracts and mobilisation

- Working with Sales/business development
- Surveying sites – survey to include: equipment type/volume/allocation
- Agree roll out procedures/ensure delivery at appropriate day/time
- Arrange/carry out training on equipment – prior to start up if possible
- Support/train at start up
- Agree on service level agreement
- Provide contract manuals, contact details and support material

## Support material

- Task cards
- How to use documentation
- Productivity guides
- Web based information on:

[www.diversey.com](http://www.diversey.com)



# Dry Vacuum Cleaners

## tub vacuums

### vento 8

Mains powered tub vacuum cleaner

Code	Recommended Standard Spec
7514390	TASKI vento 8 /230V/50-60Hz Euro
7514886	Paper dust bags – V8 (Packet of 10)
7514803	Fleece dust bags – V8 (Packet of 10)
5850389	Reusable cloth bag (Each)

### TASKI vento 8 brings you:

#### Multi functional handle

The functional handle design incorporates a number of features including an intuitive opening mechanism, ergonomic foot operated on/off switch and a convenient cable tidy.

#### Improved air quality

Machines utilise industry leading filtration system consisting of; new disposable fleece bag, filter cloth, motor protection filter and optional exhaust filter. This results in significantly improved air quality during and after the vacuum operation as well as increased motor life.

#### Easy to manoeuvre castor system

The use of two fixed rear wheels and two freely rotating castors ensures maximum stability and manoeuvrability of the new vacuum cleaner.

#### A number of little extras

The new machine features a mounting system for attachments to ease storage as well as a plug holder to secure the detachable power cable.



#### Technical Data

Dust bag capacity	8 litres
Bag type (paper/fleece)	Both
Nominal consumption	900 W
Voltage	220/240 V
Weight with cable	6 kg
Sound level	59 dB(A)
Vacuum	17 kPa
Max air flow	55 l/sec
Filtration (stages)	4 (5 inc exhaust filter)
Cable length	11 m
Hose length	2 m
Suction tubes	Metal
Floor tool width	270 mm
Dimensions	430x380x330 mm
Protection class	Class II
Exhaust filter option	Yes
Microfilter (HEPA) Option	No
Approvals	CE / CSA

# Dry Vacuum Cleaners

## tub vacuums

### vento 15

Mains powered tub vacuum cleaner

Code	Recommended Standard Spec
7514410	TASKI vento 15 /230V/50-60Hz Euro
7514888	Paper dust bags – V15 (Packet of 10)
7514804	Fleece dust bags – V15 (Packet of 10)
5850389	Reusable cloth bag (Each)

### TASKI vento 15 brings you:

#### Multi functional handle

The functional handle design incorporates a number of features including an intuitive opening mechanism, ergonomic foot operated on/off switch and a convenient cable tidy.

#### Improved air quality

Machines utilise industry leading filtration system consisting of; new disposable fleece bag, filter cloth, motor protection filter and optional exhaust filter. Additional HEPA filtration is also available as an optional extra. This results in significantly improved air quality during and after the vacuum operation as well as increased motor life.

#### Easy to manoeuvre castor system

The use of two fixed rear wheels and two freely rotating castors ensures maximum stability and manoeuvrability of the new vacuum cleaner.

#### Support material

The TASKI vento 15 features a mounting system for attachments to ease storage as well as a plug holder to secure the detachable power cable. The machine also comes with a set of accessories (crevice nozzle and upholstery brush) as standard.



#### Technical Data

Dust bag capacity	15 litres
Bag type (Paper/Fleece)	Both
Nominal consumption	1000 W
Voltage	220/240 V
Weight with cable	8 kg
Sound level	59 dB(A)
Vacuum	22 kPa
Max air flow	61 l/sec
Filtration (stages)	4 (6 inc exhaust & HEPA)
Cable length	11 m
Hose length	2 m
Suction tubes	Metal
Floor tool width	300 mm
Dimensions	430x380x480 mm
Protection class	Class II
Exhaust filter option	Yes
Microfilter (HEPA) Option	Yes
Approvals	CE / CSA

# Accessories

## tub vacuums

Code	Equipment	Machine	
		vento 8	vento 15
<b>Attachments</b>			
7514889	Accessory kit	✓	
7514937	Telescopic tube 32mm	✓	✓
<b>Filters</b>			
7514883	Optional exhaust filter	✓	✓
7514884	Optional HEPA filter kit inc exhaust		✓
7514885	Optional HEPA filter (filter only)		✓
<b>Dust bags</b>			
7514886	Paper dust bag V8 (Packet of 10)	✓	
7514888	Paper dust bags V15 (Packet of 10)		✓
7514803	Fleece dust bags V8 (Packet of 10)	✓	
7514804	Fleece dust bags V15 (Packet of 10)		✓
5850389	Vento 8 & 15 Reusable cloth bag (1 ea)	✓	✓

## Recommended chemicals

Product	Code
CCS General Purpose Spotter	HH15173



# Dry Vacuum Cleaners

## upright vacuums

### jet 38

Professional Upright Vacuum Cleaner

Code	Recommended Standard Spec
7516255	TASKI jet 38 (38cm width)
8502160	Double filter paper bag (pack of 10)

### TASKI jet 38 brings you:

#### Power and efficiency

The dual motor system of TASKI jet 38 provides an excellent air flow, while the high-speed brushes mechanically remove dirt within the fibers of the carpet.

This system delivers a superior cleaning result and enhances the appearance of the carpet. The machine is lightweight and easily maneuverable, which allows a productive and ergonomic cleaning operation.

#### Versatility

The TASKI jet 38 can be used in a horizontal position to clean underneath beds and furniture. Thanks to its flexible hose, a telescopic tube, and a crevice and dusting nozzle, it can also be used in areas above the floor.

The brush height is easily adjustable for efficient vacuuming on different types of carpet.

#### Improved air quality

TASKI jet 38 utilises a modern five-stage filtration system consisting of a double filter paper dust bag, washable filter, exhaust air filter, and carbon brush filter. An optional HEPA filter is also available.

#### Easy and ergonomic transportation

TASKI jet 38 cleaner is very operator friendly due to the robust and ergonomic handle, which is also height adjustable in two positions. The compact design, the light weight and the ergonomically-designed carrying handle allows easy transportation from room to room and over steps or stairs.



#### Technical Data

Working width	38 cm
Dust bag capacity	4 L, dry
Weight with cable	7.8 kg
Sound level	69 dB(A)
Nominal consumption	900 W
Vacuum	16 kPa
Max air flow	45 l/sec.
Dimensions (L x W x H)	26x38x120 mm
Cable length	10 m
Brush speed	5,000 rpm
Brush adjustment	variable 1-10 mm
Filtration	5-stage
Microfilter (HEPA) Option	Yes
Protection class	Class II
Approvals	CE/CB Test cert./NEMKO/cETLus

# Accessories

## upright vacuums

Code	Equipment	Machine
		jet 38
<b>Attachments</b>		
4080220	Radiator nozzle	✓
4080230	Upholstery nozzle	✓
<b>Filters</b>		
8505180	HEPA Filter	✓
8505110	Fine filter Exhaust suction unit (pack of 5)	✓
<b>Dust bags</b>		
8502160	Double filter paper bag (pack of 10)	✓
8503640	Fine filter motor protection (pack of 10)	✓

## Recommended chemicals

Product	Code
CCS General Purpose Spotter	HH15173

# Wet & dry vacuums

## wet and dry tub

### vacumat 22

Mains powered wet and dry tub vacuum cleaner

Code	Recommended Standard Spec
8004270	TASKI vacumat 22 Euro - machine only
8504480	Kit-wet cleaning
8504930	Kit-dry cleaning

### TASKI vacumat 22 brings you:

#### Maximum flexibility

The wet vacuum cleaner can easily be equipped for dry operation by using an easy to attach dry vacuuming kit. This makes the machine truly multi-functional for any type of dry vacuuming on hard and soft floors.

#### True versatility

Due to a large variety of options the vacuum cleaner can be used for basic cleaning in combination with TASKI single disc machines; spillage cleaning or day to day cleaning.

#### Increased productivity

High suction power combined with excellent manoeuvrability and large container capacity increase the efficiency of operation.

#### Robustness and durability

A specially designed mechanical float system with a dual filter guarantees double protection of the motor unit and significantly prolonged service life. The canister which is resistant to shocks and chemicals ensures high durability.



#### Technical Data

Container capacity: wet	22 L
Container capacity: dry	28 L
Container volume	45 L
Weight with cable	11 kg
Sound level	64 dB(A)
Nominal consumption	1000 W
Vacuum	22 kPa
Max air flow	60 L/s
Dimensions (LxWxH)	390x630x440 mm
Cable length	10 m
Suction hose length	2 m
Castors	5
Castor diameter	50 mm
Protection class	Class II
Approvals	CE/CB Test cert./CSA

# Accessories

## wet & dry vacuums

### vacumat 22

Code	Equipment	Machine
		vacumat 22
<b>Attachments</b>		
8504480	Kit-wet cleaning	✓
8504930	Kit-dry cleaning	✓
<b>Dust bags</b>		
7514888	Pack of 10 double filter bags	✓

# Carpet cleaning spray extraction machine

## aquamat 10.1

Compact spray extraction machine

Code	Recommended Standard Spec
8003300	TASKI aquamat 10.1 230V/50Hz Euro – machine only
8505140	Floor extraction tool & injection/extraction hose

### TASKI aquamat 10.1 brings you:

#### Excellent deep cleaning results

Deep cleaning through spray extraction is the ultimate way of thoroughly cleaning your carpets. It increases the lifetime of your carpets by removing engrained dirt whilst maintaining the high appearance levels of your carpet.

#### Quick and effective spot cleaning

Keep this machine at hand to tackle any accidents. Together with the optional hand tool accessory and professional stain removal products, disruptions are minimised and efficiently dealt with.

#### Ease of transportation

Due to its modular design, light weight and compact size, the TASKI aquamat 10.1 can easily be transported between locations.

#### Complete range of accessories

The spray device can be used to pre-spray carpet detergent before deep cleaning, maximising cleaning results. The optional 12cm hand nozzle facilitates deep cleaning of upholstery, stairs and other hard to reach areas. The carpet pile brush lifts the carpet fibres and gives the entire surface a uniform, even appearance and reduces drying time.



#### Technical Data

Solution tank	10 L
Recovery tank	10 L
Max air flow	41 L/s
Vacuum	18 kPa
Dimensions (LxWxH)	380x380x600 mm
Weight	12 kg
Nominal consumption	900 W
Sound level	66 dB(A)
Cable length	10 m
Protection class	Class II
Approvals	CE/CB Test cert./ÖVE/SEV

# Carpet cleaning all-purpose spray extraction

## aquamat 20

Compact all-purpose spray extraction machine

Code	Recommended Standard Spec
8003460 8505160	TASKI aquamat 20 230V /50Hz Euro - machine only Floor extraction tool & injection/extraction hose

### TASKI aquamat 20 brings you:

#### Excellent deep cleaning results

Deep cleaning through spray extraction is the ultimate way of thoroughly cleaning your carpets. It increases the lifetime of your carpets by removing engrained dirt whilst maintaining the high appearance levels of your carpet.

#### All-round flexibility

Its tank volume makes the TASKI aquamat 20 ideal for the deep cleaning of small to mid-sized congested areas. The powerful vacuum motor allows for an optional 6 metre hose to be attached, so that you can leave the machine at the bottom of the stairs or outside the cleaning area, increasing your flexibility. The variable product dosing allows for efficient and productive cleaning as well as the ability to tackle deeply soiled areas.

#### Ease of transportation

The user friendly design, large wheels and steering handle allow for easy movement between locations.

#### Complete range of accessories

The spray device can be used to pre-spray carpet detergent before deep cleaning, maximising cleaning results. The optional 12cm hand nozzle facilitates deep cleaning of upholstery, stairs and other hard to reach areas. The carpet pile brush lifts the carpet fibres and gives the entire surface a uniform, even appearance and reduces drying time.



#### Technical Data

Solution tank	22 L
Recovery tank	18 L
Max air flow	47 L/s
Vacuum	22 kPa
Dimensions (LxWxH)	800x380x720 mm
Weight	25 kg
Nominal consumption	1050 W
Sound level	66 dB(A)
Cable length	15 m
Protection class	Class II
Approvals	CE/CB Test cert./ÖVE/SEV

# Accessories carpet cleaning

Code	Equipment	Machine	
		Spray Extraction	
		aquamat 10.1	aquamat 20
8503920	Spray lance	✓	✓
8505150	Hand nozzle : for use on upholstery & stairs	✓	✓
8505160	Floor extraction tool & injection/extraction hose kit	✓	✓
4109440	Upholstery nozzle 10cm	✓	✓

## Recommended chemicals

Product	Code
CCS Extraction Cleaner	739152
CCS General Purpose Spotter	HH15173

# 17" Single disc machines

## ergodisc rotary machines

### ergodisc 165

Low-speed single disc machine – for multiple cleaning tasks

Code	Recommended Standard Spec
8003850	TASKI ergodisc 165 Euro – machine only
8504410	Pad drive – 17" standard speed
8504750	Scrubbing brush (for general use)

**The ergodisc 165 is especially suited for the following tasks:** wet scrubbing – stripping – buffing – spray cleaning – wet & dry shampooing - wood treatment - crystallisation.

#### Ergonomics:

Better working conditions improve productivity through:

- anatomically formed grip
- adjustable handle bar height
- low vibration level
- low noise level
- soft start characteristics

#### Safety:

Creates a safer working environment through:

- hand protection due to closed handle
- high electrical safety due to double insulation
- double safety lock

#### Simplicity:

Ease of use results in improved efficiency through ease of:

- training and operation
- attaching accessories, no tools required
- storing and transporting, enabled by a foldable handle and movable weight

#### Versatility:

Multi-purpose, cost efficient machine:

- adaptable to many different cleaning tasks
- full range of accessories available



#### Technical Data

Working width	43 cm (17 inch)
Speed	165 rpm
Weight	42 kg (option to remove 5kg)
Engine height	31.5 cm
Nominal consumption	1100 W
Voltages available	230 V / 50 Hz 120V / 60Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test Cert ÖVE/ SEV



# 17" Single disc machines ergodisc rotary machines

## ergodisc 400

High speed single disc machine – for cost efficient high speed cleaning

Code	Recommended Standard Spec
8003890 7510030	TASKI ergodisc 400 240V/50Hz Euro - machine only Multigrip pad drive – 17" high speed

**The ergodisc 400 is especially suited for the following tasks:**  
spray cleaning – buffing.

### Ergonomics:

Better working conditions improve productivity through:

- anatomically formed grip
- adjustable handle bar height
- low vibration level
- low noise level
- soft start characteristics

### Safety:

Creates a safer working environment through:

- hand protection due to closed handle
- high electrical safety due to double insulation
- double safety lock

### Simplicity:

Ease of use results in improved efficiency through ease of:

- training and operation
- attaching accessories, no tools required
- storing and transporting, enabled by a foldable handle and movable weight

### Versatility:

Multi-purpose, cost efficient machine:

- adaptable to many different cleaning tasks
- full range of accessories available



### Technical Data

Working width	43 cm (17 inch)
Speed	400 rpm
Weight	35 kg
Engine height	38 cm
Nominal consumption	1100 W
Voltages available	230 V / 50 Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test cert / ÖVE/ SEV

# Accessories

## ergodisc rotary machines

Code	Equipment		
		165	400
<b>Brushes</b>			
8504750	Scrubbing brush for general use, 43cm – 17"	✓	
8504780	Scrubbing brush – for industrial use 43cm – 17"	✓	
8504830	Shampooing brush dry 43cm	✓	
8504860	Shampooing brush wet 43cm	✓	
8504800	Scrubbing brush washed concr. 43 cm	✓	
7510030	Multi purpose hi-speed brush 43cm – 17"		✓
8504400	Spray cleaning brush 43cm – 17"		✓
<b>Dispensing units</b>			
8504370	Dispensing unit – mechanical		✓
8504390	Solution tank, 10 lt.	✓	
8504660	Foam generator 230V	✓	
<b>Vacuum accessories</b>			
7515786	Soft suction Skirt, 43cm – 17"		✓
8504380	Suction unit		✓
<b>Pad drives</b>			
8504410	Multigrip pad drive – 17" standard speed	✓	

## Recommended chemicals

Product	Code
<b>Revive</b> High performance cleaner/maintainer that rejuvenates UHS floor finishes	5687542
<b>Pro Strip</b> Premium high performance stripper for tough to remove sealers & finishes with low VOC technology	5623661
<b>Pro Strip HD</b> High performance stripper for tough to remove sealers & finishes	5751137
<b>Strip Eze</b> General purpose stripper, suitable for metalised & non metalised floor sealers & finishes	5487081
<b>Step Off</b> Traditional alkaline stripper, suitable for removing top coats in a selective stripping program	5784596
<b>Taski Profi</b> Mineral oil & grease remover	HH14329
<b>Clearclean Plus</b> Highly reactive degreaser for all heavy duty degreasing	5487073
<b>CCS General Purpose Spotter</b>	HH15173
<b>CCS Shampoo</b>	HH15167

# Scrubber driers battery powered machines

## swingo 350B bms

Ultra-compact battery-powered scrubber drier

Code	Recommended Standard Spec
7516860	TASKI swingo 350 B bms
7516863	Cylindrical brush standard 38cm
7516864	Cylindrical brush hard 38cm
7516868	Battery for Swingo 350B (2 required)

### TASKI swingo 350B bms brings you: Accessibility in Confined Areas

Due to the very low height of the machine body and the handle which can be folded backwards the machine can reach under obstacles such as tables or racks. The roller brush, which is offset to the side, allows edge-close cleaning as well as access to corners. The wiping blade in front of the brush helps to remove the cleaning solution also when moving the machine backwards.

### Cleaning & Drying Effectiveness

Compared to manual cleaning the machine delivers significantly higher hygiene levels and improves the floor appearance as well as consistency of result. This is achieved through maximum scrubbing action and the innovative V-shaped squeegee which leads to excellent drying results, even on difficult floors such.

### Safety and Simplicity

Due to the system's perfect drying results the risk of slip-falls caused by wet floors is reduced to the minimum. This makes TASKI swingo 350B bms the perfect solution for use in day-time operations, even in high traffic areas. The ergonomically designed, height adjustable handle with hand protection allows for the safe and comfortable use of the machine.

### Reliability & Robustness

The machine is very robust and durable and can withstand even the toughest cleaning tasks, making it one of the most reliable machines of its type in the marketplace today.



### Technical Data

Theoretical performance	1140m <sup>2</sup> /h (12,271 ft <sup>2</sup> /h)
Working width	380 mm
Squeegee width	555 mm
Solution tank	10 L
Recovery tank	10 L
Nominal consumption	1100 W
Rated voltage	12 V
Battery autonomy (nominal)	45 min
Machine weight ready for use	67kg
Handle weight	1.3 kg
Dimensions (L x W x H)	790x450x430 mm
Brush system	Roller brush
Brush pressure	Max 17 kg
Cable length of integrated battery charger	3 m (10 ft)
Electrical protection class (BMS/non-BMS)	Class II
Approvals	CE/CB Test cert.

# Scrubber driers

## battery powered machines

### swingo 455B bms

Compact battery powered automatic scrubber drier

Code	Recommended Standard Spec
7518367	TASKI swingo 455 B bms Euro
8504750	Scrubbing Brush 430mm
7510829	Pad drive harpoon grip 430mm
8505540	Battery for Swingo 455B (2 required)

### TASKI swingo 455B bms brings you:

#### Performance

Winning is all about performance and the TASKI swingo 455B bms has it all. Great results are achieved through the brush following the floor's profile and this, combined with a u-shaped squeegee and direct suction set-up ensure all dirt is removed from the floor. Performance is also about pace and the TASKI swingo 455B bms is incredibly easy to handle due to its dual-axle system.

#### Simplicity and ergonomoy

Keeping things simple and comfortable makes life easier and the TASKI swingo 455B bms can help. With its intuitive controls, operator training is reduced to a minimum. The incorporation of a proven and ergonomically designed handle and dual-axle system ensure that the machine is comfortable to use and easy to control, thus reducing operator fatigue.

#### Easy maintenance

Colour coded yellow maintenance points mean easy training and reduced downtime. The incorporation of an easy to remove recovery tank makes the TASKI swingo 455B bms simple to use and to keep clean. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.

#### Versatility in application

Due to its compact size and simplicity, it can be used in a wide variety of application areas. It is truly versatile for use in all types of small or congested hard floor areas such as retail stores, kitchens, schools and hospitals.



#### Technical Data

Theoretical performance	1290 m <sup>2</sup> /h
Working width	43 cm
Squeegee width	69 cm
Solution tank (nominal)	25 L
Recovery tank (nominal)	22 L
Nominal consumption	900 W
Rated voltage	24 V
Battery capacity	50 Ah/C5
Battery autonomy (nominal)	1.5 hours
Machine weight ready for use	120 kg
Dimensions (L x W x H) (machine only)	1100x480x920 mm
Brush pressure	32 kg
Sound level	68 dB(A)
Splash water protection	IPX3
Approvals	ÖVE

# Scrubber driers battery powered machines

## swingo 755B bms / 760B eco

Battery powered automatic scrubber drier for floor cleaning

Code	Recommended Standard Spec
7516826	TASKI swingo 755 B power bms Euro
7518540	swingo 760B Eco
8504750	Scrubbing Brush 430mm
7510829	Pad drive harpoon grip 430mm
8505550	Battery for Swingo 755B/760B (2 required)

## TASKI swingo 755B power bms & 760B Eco brings you:

### Performance

The patented brush design follows the floor profile and delivers nearly even pressure allocation along the full working width. This results in excellent soil removal. The u-shaped squeegee allows excellent water pick-up along the full working width. Special squeegee blades and a direct suction design allow pick-up of small debris (e.g. cigarette butts) without clogging.

### Productivity and manoeuvrability

Increased battery capacity coupled with a larger tank and the patented CSD system radically increases productivity. The dual-axle system ensures easy handling and allows excellent manoeuvrability in confined areas.

### Ergonomics

The ergonomic handle suits all operators. All functions of the machine can be operated from the working position. The dashboard is self explanatory with minimum training needed and displays all required information.

### Maintenance

Colour coded maintenance points increase efficiency and reduce the need for training. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.



### Technical Data

	755B	760B eco
Theoretical performance	1935 m <sup>2</sup> /h	1290 m <sup>2</sup> /h
Working width	43 cm	43 cm
Squeegee width	69 cm	69 cm
Solution tank (nominal)	40 L	40 L
Recovery tank (nominal)	40 L	40 L
Nominal consumption	900 W	900 W
Rated voltage	24 V	24 V
Battery capacity	50- 70 Ah/ C5	50- 70 Ah/ C5
Battery autonomy (nominal)	2 h	2 h
Machine weight ready for use	155 kg	155 kg
Dimensions (L x W x H)	1160x480 x1200 mm	1160x475 x1195 mm
Turning circle	1 m	1.12 m
Brush system	1 x 43 cm	1 x 43 cm
Brush pressure (with/without wheel drive)	40/43 kg	43 kg
Working speed (power))	3/4.5 km/h	3 km/h
Cable length of integrated battery charger	2.5 m	N/A
Sound level	58 dB(A)	58 dB(A)
Electrical protection class	Class I	Class III
Approvals	CE/CB Test cert.	CE/CB Test cert.

# Scrubber driers battery powered machines

## swingo 1255B bms / 1260B

Battery powered automatic scrubber drier for floor cleaning

Code	Recommended Standard Spec
7516831	TASKI swingo 1255B bms Euro
7518541	TASKI swingo 1260B
7519395	Scrubbing brush standard 28 cm
7510634	Pad drive harpoon grip 28 cm
8505550	Battery for Swingo 1255B/1260B (4 required)

**TASKI swingo 1255B bms & 1260B brings you:**

### Ideal size for best performance

The patented CSD - system always ensures the right amount of cleaning solution on the floor and leads to significant water savings. This, in combination with the 60 L tank volume, increases productivity and cuts the number of time consuming tank filling stops during the cleaning operation. The dual-axle system ensures easy handling and allows comfortable use of the machine..

### Excellent cleaning and drying results

The patented brush design follows the floor profile and delivers nearly even pressure allocation along the full working width. The 2 brushes with offset to side allow perfect cleaning along walls and under racks. This results in excellent soil removal and floor appearance. The patented V-shaped squeegee allows perfect water pick-up on all floor types, even on structured and grouted/tiled floors. Special squeegee blades and a direct suction line allow pick-up of small debris (e.g. cigarette butts) without clogging. Due to the proven 3-wheel concept, adjustments of the squeegee are not necessary anymore

### Durability and robustness

The use of high tech material and long life components enhance the machine's uptime while reducing service and repair costs to a minimum.

### Maintenance

Colour coded maintenance points increase efficiency and reduce the need for training. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.



### Technical Data

	1255B	1260B
Theoretical performance	2475 m <sup>2</sup> /h	2475 m <sup>2</sup> /h
Working width	55 cm	55 cm
Squeegee width	80 cm	80 cm
Solution tank (nominal)	60 L	60 L
Recovery tank (nominal)	60 L	60 L
Nominal consumption	1,000 W	1,000 W
Rated voltage	24 V	24 V
Battery capacity	100-140 Ah/C5	100-140 Ah/C5
Battery autonomy (nominal)	Up to 3h	Up to 3h
Machine weight ready for use	260 kg	260 kg
Dimensions (L x W x H)	1420x580 x1170 mm	1420x580 x1170 mm
Turning circle	1.33 m	1.33 m
Brush system	2 x 28 cm	2 x 28 cm
Brush pressure (with/without wheel drive)	48 kg	48 kg
Working speed (power))	4.5 km/h	4.5 km/h
Cable length of integrated battery charger	3 m	
Sound level	58 dB(A)	58 dB(A)
Electrical protection class	Class II/III	Class III
Approvals	CE/CB Test cert./ ÖVE/cETL	CE/CB Test cert.

# Scrubber driers battery powered machines

## swingo 1650B bms / 1850B bms / 1660B

Battery powered automatic scrubber drier for floor cleaning

Code	Recommended Standard Spec
7515883	TASKI swingo 1650B bms Euro
7518086	TASKI swingo 1850B bms Euro
7518542	TASKI swingo 1660B
7515516	Scrubbing brush 330mm for 1650B/1660B (2req'd)
8504750	Scrubbing brush 430mm for 1850B (2 req'd)
7514962	Battery for Swingo 1650B/1850B/1660B (4 required)

## TASKI swingo 1650B bms / 1850B bms / 1660B brings you:

### Increased working autonomy

The large 85-litre tank and the highly efficient IntelliFlow-system reduce water consumption by up to 40 %. Clean up to 2,500 m<sup>2</sup> without time-consuming tank filling stops. Reduced energy consumption and high capacity batteries allow a run time of more than four hours before re-charging.

### Excellent results and immediately dry floors

The brushes perfectly follow the floor profile, delivering ideal soil removal. Thanks to the patented W-shaped squeegee design with dual direct suction lines, the machine delivers best-in-class drying result. The machine can be used at any time of the day, while reducing the potential risk of slip-fall accidents caused by wet floors.

### Simplicity and ergonomics

With excellent ergonomics and simple, intuitive controls, the machine reduces operator fatigue and minimizes training needs.

### Easy maintenance

All components needing frequent cleaning/maintenance are color-coded in yellow and can be easily removed within seconds without tools. This makes maintaining the machine self-explanatory and easy – which ensures always best cleaning results and extended machine lifetime.



### Technical Data

	1650B	1850B	1660B
Theoretical performance	2925 m <sup>2</sup> /h	3825 m <sup>2</sup> /h	2925 m <sup>2</sup> /h
Working width	65 cm	85 cm	65 cm
Squeegee width	95 cm	110 cm	95 cm
Solution tank (nominal)	85 L	85 L	85 L
Recovery tank (nominal)	85 L	85 L	85 L
Nominal consumption	1,200 W	1,200 W	1,200 W
Rated voltage	24 V	24 V	24 V
Battery capacity	180 Ah/C5	180 Ah/C5	180 Ah/C5
Battery autonomy (nominal)	over 4 h	3-4 h	over 4 h
Machine weight ready for use	330 kg	345 kg	330 kg
Dimensions (L x W x H)	1540x690 x1180 mm	1620x880 x1190 mm	1540x690 x1180 mm
Brush system	2 x 33 cm	2 x 43 cm	2 x 33 cm
Brush pressure (with/without wheel drive)	0.32 N/cm <sup>2</sup>	0.28 N/cm <sup>2</sup>	0.32 N/cm <sup>2</sup>
Working speed (power))	4.5 km/h	4.5 km/h	4.5 km/h
Max. ramp	2.0 %	2.0 %	2.0 %
Sound level	62 dB(A)	62 dB(A)	62 dB(A)
Electrical protection class	Class II/III	Class III	Class III
Approvals	CE/CB Test cert.	CE/CB Test cert.	CE/CB Test cert.



# Scrubber driers

## battery powered machines

### swingo XP

Stand on automatic scrubber drier

Code	Recommended Standard Spec
7514505	TASKI swingo XP
7514650	Scrubbing brush nylon 450mm (2 req'd)
7514962	Battery for Swingo XP (4 required)

### TASKI swingo XP brings you:

#### Greatly increased productivity

The new stand-on concept with sensor steering combines excellent maneuverability with speed for faster cleaning. A highly efficient water management system reduces the number of time-consuming tank filling stops.

#### Highest cleaning results

The new scrubbing unit with micro-rotating movement offers high level cleaning results, while saving up to 50% of the cleaning solution versus conventional rotary or cylindrical brush systems.

#### Immediately dry floors

The excellent drying result (due to the W-shaped squeegee) allows use of the machine at any time of the day, while reducing the potential risk of slip-fall accidents caused by wet floors.

#### Reduced water and energy consumption

Due to the speed dependant Cleaning solution dosing (CSD system) the environmentally-friendly machine leads to more efficient use of natural resources.



#### Technical Data

Theoretical performance	4500 m <sup>2</sup> /h
Working width	75 cm
Squeegee width	95 cm
Solution tank (nominal)	105 L
Recovery tank (nominal)	105 L
Nominal consumption	1,200 W
Rated voltage	24 V
Battery capacity	195 Ah/C5
Battery autonomy (nominal)	3.5 h
Machine weight ready for use	180 kg
Dimensions (L x W x H) (machine only)	1190x950x1260 mm
Brush system	2 x 45 cm
Brush pressure	0.25-0.5 N/cm <sup>2</sup>
Sound level	65 dB(A)



# Accessories

## scrubber driers

Code	Equipment	Machine						XP
		350B	455B	755B 760B	1255B 1260B	1650B 1660B	1850B	
<b>Brushes</b>								
7516863	Cylindrical brush standard 38cm	✓						
7516864	Cylindrical brush hard 38cm	✓						
8504750	Scrubbing brush standard 43cm		✓	✓			✓	
8504800	Scrubbing brush washed concrete 43cm		✓	✓				
8504780	Scrubbing brush abrasive 43cm		✓	✓				
7519395	Scrubbing brush standard 28cm (2 required)				✓			
7510632	Scrubbing brush washed concrete 28cm (2 required)				✓			
7510633	Scrubbing brush abrasive 28cm (2 required)				✓			
7515516	Scrubbing brush standard 33cm (2 required)					✓		
7515517	Scrubbing brush washed concrete 33cm (2 required)					✓		
7515518	Scrubbing brush arasive 33cm (2 required)					✓		
7517859	Scrubbing brush standard 43cm (2 required)						✓	
7514650	Scrubbing brush Nylon 45cm (2 required)							✓
<b>Pad Drives</b>								
7510829	Pad drive harpoon grip 43 cm		✓	✓				
7510634	Pad drive harpoon grip 28cm (2 required)				✓			
7515515	Pad drive harpoon grip 33cm (2 required)					✓		
7517858	Pad drive harpoon grip 43cm (2 required)						✓	
7514648	Pad drive harpoon grip 45cm (2 required)							✓
<b>Miscellaneous</b>								
7516868	Battery for Swingo 350B (2 required)	✓						
8505540	Battery for Swingo 455B (2 required)		✓					
8505550	Battery for Swingo 755B/760B (2 required)			✓				
8505550	Battery for Swingo 1255B/1260B (4 required)				✓			
7514962	Battery for Swingo 1650B/1850B/1660B (4 required)					✓	✓	
7514962	Battery for Swingo XP (4 required)							✓
7516124	TASKI Contact Pad 33 - pack of 4 (2 required)					✓	✓	
7516119	TASKI Pad 33 cm White - pack of 5 (2 required)					✓	✓	
7516120	TASKI Pad 33 cm Red - pack of 5 (2 required)					✓	✓	
7514958	TASKI Pad 33 cm Blue - pack of 5 (2 required)					✓	✓	
7516121	TASKI Pad 33 cm Brown - pack of 5 (2 required)					✓	✓	
7516122	TASKI Pad 33 cm Black - pack of 5 (2 required)					✓	✓	
7516123	TASKI Pad 33cm Purple - pack of 5 (2 required)					✓	✓	
7514732	TASKI Contour Contact Pad 45cm (2 required)							✓
7514727	XP Pad 45 cm- pack of 10 -TK4515WT White (2 required)							✓
7514728	XP Pad 45 cm- pack of 10 -TK4515RD Red (2 required)							✓
7514729	XP Pad 45 cm- pack of 10 -TK4515BU Blue (2 required)							✓
7514730	XP pad 45 cm- pack of 10 -TK4515BN Brown (2 required)							✓
7514731	XP pad 45 cm- pack of 10 -TK4515BK Black (2 required)							✓

# Recommended chemicals

Product	Code
<b>Revive</b> High performance cleaner/maintainer that rejuvenates UHS floor finishes	5687542
<b>Stride HC JF</b> Neutral Floor and Multi Purpose Cleaner – concentrate	04716
<b>Stride Citrus J-Flex</b> Neutral Floor and Multi Purpose Cleaner – concentrate	4029089
<b>Stride HC Citrus Neutral Cleaner (Smartdose)</b> Neutral Floor and Multi Purpose Cleaner – concentrate	5122613
<b>Stride Pur-Eco</b> Neutral Floor and Multi Purpose Cleaner - fragrance and dye free	5757723
<b>View Quick</b> No rinse daily cleaner for sealed and unsealed floors	5687649
<b>Taski Profi</b> Mineral oil & grease remover	HH14329
<b>Clearclean Plus</b> Highly reactive degreaser for all heavy duty degreasing	5487073
<b>Forward Pur-Eco</b> Heavy duty floor cleaner for cut-back applications in UHS floor care programs - fragrance and dye free	5757731
<b>Reveal</b> Heavy duty floor cleaner for cut-back applications in UHS floor care programs	5687526

# Notes

A series of horizontal dotted lines for writing notes.

For further information please contact:  
[www.diverse.com](http://www.diverse.com)

**Diversey Australia Pty Ltd**

29 Chifley St,  
Smithfield NSW 2164  
AUSTRALIA  
Toll free: 1800 4 TASKI

© 2012 Diversey Australia Pty Limited,  
29 Chifley Street. Smithfield NSW 2167.

